



San Diego County
Mental Health
Services
Databook 05-06

Child & Adolescent Mental Health Services Databook, FY-05-06

Clients Receiving County-funded Mental Health Services

Unique clients
16,874

| Age | Unique clients | % |
|--------------|----------------|-----|
| Age 0 to 5 | 1638 | 10% |
| Age 6 to 11 | 5032 | 30% |
| Age 12 to 17 | 9494 | 56% |
| Age 18+ | 689 | 4% |

Note: Some programs continue to serve youth after they turn 18

| Gender | Unique clients | % |
|-----------------|----------------|-----|
| Females | 6,518 | 39% |
| Males | 10,189 | 60% |
| Other / Unknown | 167 | 1% |

| Race/ethnicity | Unique clients | % |
|--------------------------|----------------|-----|
| White | 4,744 | 28% |
| Hispanic | 7,796 | 46% |
| African American | 2,543 | 15% |
| Asian / Pacific Islander | 411 | 2% |
| Native American | 129 | 1% |
| Other / Mixed | 495 | 3% |
| Unknown | 756 | 4% |

| Diagnosis | Unique clients | % |
|----------------------------|----------------|-----|
| ADHD | 1,954 | 17% |
| Oppositional/Conduct | 2,192 | 19% |
| Depressive disorders | 2,285 | 20% |
| Bipolar disorders | 719 | 6% |
| Anxiety disorders | 795 | 7% |
| Adjustment disorders | 2,110 | 19% |
| Schizophrenic disorders | 142 | 1% |
| Other | 976 | 9% |
| Invalid | 271 | 2% |
| Excluded | 428 | 4% |
| Any Substance Use Disorder | 865 | 7% |

Note: Primary diagnosis and insurance information is not available on youth served through JFS and Spectrum

| Client count by provider type:* | Unique clients | % |
|---|----------------|-----|
| County run or contracted programs: | 10,445 | 62% |
| Fee for service outpatient services: | 5,570 | 33% |
| Fee for service inpatient services: | 469 | 3% |
| Juvenile Forensics and Spectrum services: | 3,239 | 19% |

| Service Modes (RU level data):* | Unique clients | % |
|---------------------------------------|----------------|-----|
| All County run programs (CO) | 2,722 | 16% |
| Outpatient - Contracted Programs (CN) | 8,355 | 50% |
| Outpatient - Fee for Service | 5,570 | 33% |
| Outpatient - JFS / Spectrum (JFS) | 3,239 | 19% |
| Case Management | 1,736 | 10% |
| TBS | 267 | 2% |
| Other | 933 | 6% |
| Day Rehabilitation | 1,263 | 7% |
| Day Treatment - Residential | 459 | 3% |
| Day Treatment - Intensive | 499 | 3% |
| ESU | 788 | 5% |
| Inpatient | 607 | 4% |

| Insurance Status | Unique clients | % |
|-------------------|----------------|-----|
| Medi-Cal | 12,737 | 89% |
| Private Insurance | 201 | 1% |
| Uninsured | 1,368 | 10% |

New Clients 4,229 30%

* Based on episode RU. Clients can receive services from more than one provider type or service mode during the year. Results will not total to 100% as clients can be counted more than once.

Child & Adolescent Mental Health Services Databook, FY-05-06

CMHS Services Provided (visit level)

| Outpatient Services (Minutes) | Total Minutes | Total Clients | Percent Users | Mean (& Median) Minutes Among Users |
|--------------------------------------|---------------|---------------|---------------|--|
| Collateral Services | 4,643,082 | 9,398 | 56% | 494 (205) |
| Therapy | 10,772,657 | 12,991 | 77% | 829 (500) |
| Case Management | 3,377,000 | 3,993 | 24% | 846 (165) |
| Assessment | 2,046,494 | 9,233 | 55% | 222 (174) |
| Medication Support | 1,305,309 | 5,187 | 31% | 252 (140) |
| Crisis Services | 297,783 | 1,267 | 8% | 235 (135) |
| TBS | 1,017,764 | 200 | 1% | 5,089 (3,998) |
| Restrictive Services (Days) | Total Days | Total Clients | Percent Users | Mean (& Median) Days Among Users |
| Day Rehabilitation | 58,831 | 1,266 | 8% | 46 (17) |
| Day Treatment - Intensive | 67,657 | 749 | 4% | 90 (71) |
| Crisis Stabilization | 330 | 258 | 2% | 1.3 (1) |
| Inpatient | 9,366 | 607 | 4% | 15 (7) |

Child & Adolescent Mental Health Services Databook, FY-05-06

| Client Demographics by Service Type | Outpatient | | | | | Day Treatment | | | | | | |
|---|------------|-------|-------|-------|-------|---------------|-----|-------|-------|-------|-----|-----|
| | CO | CN | FFS* | JFS** | CM | TBS | Oth | D Reh | D Res | D Int | ESU | IP |
| Unique Clients Receiving Services | 2,722 | 8,355 | 5,570 | 3,239 | 1,736 | 267 | 933 | 1,263 | 459 | 499 | 788 | 607 |
| <i>(Unique Clients by) Age</i> | | | | | | | | | | | | |
| 0 to 5 | 58 | 1,099 | 565 | 17 | 31 | 16 | 61 | 10 | 0 | 11 | 12 | 7 |
| 6 to 11 | 754 | 2,933 | 2,206 | 12 | 491 | 108 | 190 | 364 | 56 | 114 | 153 | 119 |
| 12 to 17 | 1,855 | 4,110 | 2,732 | 2,887 | 1,169 | 141 | 628 | 849 | 389 | 352 | 602 | 475 |
| 18+ | 55 | 208 | 67 | 322 | 45 | 2 | 54 | 40 | 14 | 22 | 21 | 6 |
| <i>Gender</i> | | | | | | | | | | | | |
| Female | 1,191 | 3,396 | 2,438 | 797 | 660 | 88 | 331 | 644 | 205 | 175 | 383 | 330 |
| Male | 1,524 | 4,932 | 2,985 | 2,437 | 1,069 | 178 | 600 | 617 | 252 | 323 | 403 | 273 |
| Unknown | 7 | 27 | 147 | 5 | 7 | 1 | 2 | 2 | 2 | 1 | 2 | 4 |
| <i>Race/Ethnicity</i> | | | | | | | | | | | | |
| White | 893 | 2,251 | 1,844 | 630 | 793 | 103 | 392 | 399 | 161 | 234 | 255 | 222 |
| Hispanic / Latino | 1,187 | 4,321 | 2,071 | 1,571 | 593 | 96 | 344 | 503 | 192 | 166 | 370 | 240 |
| African-American | 488 | 1,161 | 932 | 586 | 271 | 52 | 153 | 297 | 96 | 70 | 109 | 94 |
| Asian/Pacific Islander | 82 | 190 | 137 | 95 | 30 | 5 | 13 | 33 | 6 | 11 | 34 | 18 |
| Native American | 23 | 62 | 36 | 20 | 23 | 2 | 9 | 11 | 4 | 5 | 7 | 4 |
| Other / Mixed | 21 | 130 | 136 | 234 | 18 | 2 | 8 | 13 | 0 | 5 | 8 | 10 |
| Unknown | 28 | 240 | 414 | 103 | 8 | 7 | 14 | 7 | 0 | 8 | 5 | 19 |
| <i>Primary Diagnosis</i> | | | | | | | | | | | | |
| ADHD | 376 | 1,437 | 490 | 97 | 314 | 53 | 172 | 112 | 41 | 83 | 90 | 32 |
| Oppositional/Conduct | 615 | 1,551 | 555 | 270 | 381 | 89 | 195 | 285 | 134 | 89 | 186 | 99 |
| Depressive disorders | 623 | 1,559 | 548 | 135 | 303 | 29 | 223 | 270 | 125 | 97 | 316 | 270 |
| Bipolar disorders | 238 | 475 | 213 | 52 | 237 | 42 | 134 | 62 | 89 | 97 | 72 | 106 |
| Anxiety disorders | 147 | 600 | 170 | 20 | 97 | 21 | 58 | 79 | 28 | 38 | 27 | 20 |
| Adjustment disorders | 531 | 1,621 | 600 | 42 | 158 | 16 | 53 | 414 | 25 | 35 | 43 | 17 |
| Schizophrenic disorders | 56 | 85 | 56 | 13 | 32 | 5 | 14 | 12 | 8 | 12 | 30 | 47 |
| Other | 51 | 809 | 149 | 12 | 61 | 11 | 70 | 16 | 8 | 44 | 11 | 8 |
| Excluded | 33 | 164 | 245 | 7 | 23 | 1 | 14 | 11 | 1 | 2 | 12 | 1 |
| <i>Any Substance Use Diagnosis</i> | 354 | 564 | 220 | 232 | 213 | 17 | 70 | 243 | 75 | 35 | 90 | 57 |

Key: CO: Outpatient County-run programs CN: Outpatient contracted programs FFS: Outpatient Fee-for-Service JFS: Juvenile Forensics or Spectrum CM: Case management
TBS: Therapeutic Behavioral Services Oth: Other D Reh: Day Rehabilitation D Res: Day Residential D Int: Day Intensive ESU: Emergency Screening Unit IP: Inpatient

* Almost 50% of FFS clients did not have a diagnosis entered in INSYST. **Diagnosis data is not available for clients served solely by JFS or Spectrum.

Child & Adolescent Mental Health Services Databook, FY-05-06

| Client Demographics by Service Type | Outpatient | | | | | Day Treatment | | | | | | |
|--|------------|-------|-------|-------|-------|---------------|-----|-------|-------|-------|-----|-----|
| | CO | CN | FFS* | JFS** | CM | TBS | Oth | D Reh | D Res | D Int | ESU | IP |
| Unique Clients Receiving Services | 2,722 | 8,355 | 5,570 | 3,239 | 1,736 | 267 | 933 | 1,263 | 459 | 499 | 788 | 607 |
| % of Clients | 16% | 50% | 33% | 19% | 10% | 2% | 6% | 7% | 3% | 3% | 5% | 4% |
| (Percent Clients by) Age | | | | | | | | | | | | |
| 0 to 5 | 2% | 13% | 10% | 1% | 2% | 6% | 7% | 1% | 0% | 2% | 2% | 1% |
| 6 to 11 | 28% | 35% | 40% | 0% | 28% | 40% | 20% | 29% | 12% | 23% | 19% | 20% |
| 12 to 17 | 68% | 49% | 49% | 89% | 67% | 53% | 67% | 67% | 85% | 71% | 76% | 78% |
| 18+ | 2% | 2% | 1% | 10% | 3% | 1% | 6% | 3% | 3% | 4% | 3% | 1% |
| Gender | | | | | | | | | | | | |
| Female | 44% | 41% | 44% | 25% | 38% | 33% | 35% | 51% | 45% | 35% | 49% | 54% |
| Male | 56% | 59% | 54% | 75% | 62% | 67% | 64% | 49% | 55% | 65% | 51% | 45% |
| Unknown | 0% | 0% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% |
| Race/Ethnicity | | | | | | | | | | | | |
| White | 33% | 27% | 33% | 19% | 46% | 39% | 42% | 32% | 35% | 47% | 32% | 37% |
| Hispanic / Latino | 44% | 52% | 37% | 49% | 34% | 36% | 37% | 40% | 42% | 33% | 47% | 40% |
| African-American | 18% | 14% | 17% | 18% | 16% | 19% | 16% | 24% | 21% | 14% | 14% | 15% |
| Asian/Pacific Islander | 3% | 2% | 2% | 3% | 2% | 2% | 1% | 3% | 1% | 2% | 4% | 3% |
| Native American | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 1% |
| Other / Mixed | 1% | 2% | 2% | 7% | 1% | 1% | 1% | 1% | 0% | 1% | 1% | 2% |
| Unknown | 1% | 3% | 7% | 3% | 0% | 3% | 2% | 1% | 0% | 2% | 1% | 3% |
| Primary Diagnosis | | | | | | | | | | | | |
| ADHD | 14% | 17% | 9% | 3% | 18% | 20% | 18% | 9% | 9% | 17% | 11% | 5% |
| Oppositional/Conduct | 23% | 19% | 10% | 8% | 22% | 33% | 21% | 23% | 29% | 18% | 24% | 16% |
| Depressive disorders | 23% | 19% | 10% | 4% | 17% | 11% | 24% | 21% | 27% | 19% | 40% | 44% |
| Bipolar disorders | 9% | 6% | 4% | 2% | 14% | 16% | 14% | 5% | 19% | 19% | 9% | 17% |
| Anxiety disorders | 5% | 7% | 3% | 1% | 6% | 8% | 6% | 6% | 6% | 8% | 3% | 3% |
| Adjustment disorders | 20% | 19% | 11% | 1% | 9% | 6% | 6% | 33% | 5% | 7% | 5% | 3% |
| Schizophrenic dis. | 2% | 1% | 1% | 0% | 2% | 2% | 2% | 1% | 2% | 2% | 4% | 8% |
| Other | 2% | 10% | 3% | 0% | 4% | 4% | 8% | 1% | 2% | 9% | 1% | 1% |
| Excluded | 1% | 2% | 4% | 0% | 1% | 0% | 2% | 1% | 0% | 0% | 2% | 0% |
| Any Substance Use Diagnosis | 13% | 7% | 4% | 7% | 12% | 6% | 8% | 19% | 16% | 7% | 11% | 9% |

Key: CO: Outpatient County-run programs CN: Outpatient contracted programs FFS: Outpatient Fee-for-Service JFS: Juvenile Forensics or Spectrum CM: Case management
TBS: Therapeutic Behavioral Services Oth: Other D Reh: Day Rehabilitation D Res: Day Residential D Int: Day Intensive ESU: Emergency Screening Unit IP: Inpatient

* Almost 50% of FFS clients did not have a diagnosis entered in INSYST. **Diagnosis data is not available for clients served solely by JFS or Spectrum.

Adult and Older Adult Mental Health Services Databook, FY-05-06

Clients Receiving Services Unique clients
38,581

| Age | Unique clients | % |
|------------|----------------|-----|
| Age <18-24 | 5,280 | 14% |
| Age 25-59 | 29,965 | 78% |
| Age 60+ | 3,336 | 9% |

| Gender | Unique clients | % |
|-----------------|----------------|-----|
| Females | 19,168 | 50% |
| Males | 19,200 | 50% |
| Other / Unknown | 213 | 1% |

| Race/ethnicity | Unique clients | % |
|-----------------------|----------------|-----|
| White | 19,896 | 52% |
| Hispanic | 8,239 | 21% |
| African American | 4,673 | 12% |
| <i>Asian</i> | 2,209 | 6% |
| Native American | 236 | 1% |
| Other / Unknown | 3,328 | 9% |

| Preferred Language | Unique clients | % |
|---------------------------|----------------|-----|
| English | 32,108 | 83% |
| Spanish | 2,314 | 6% |
| Asian Language | 1,282 | 3% |
| Middle Eastern Lang. | 305 | 1% |
| Other / Unknown | 2,572 | 7% |

| Diagnosis | Unique clients | % |
|-----------------------------------|----------------|-----|
| Schizophrenia and Schizoaffective | 6,562 | 17% |
| Bipolar Disorders | 3,111 | 8% |
| Major Depression Disorders | 5,939 | 15% |
| Other Psychotic Disorders | 2,211 | 6% |
| Other Depression / Anxiety | 6,406 | 17% |
| Substance Use Disorder | 2,758 | 7% |
| Cognitive / Personality Disorders | 223 | 1% |
| No Diagnosis/Diagnosis Deferred | 11,371 | 29% |
| Any Substance Use Disorder | 7,534 | 20% |

| Insurance Status | Unique clients | % |
|-------------------------|----------------|-----|
| Uninsured | 17,473 | 45% |
| Medi-Cal | 17,033 | 44% |
| Medi-Medi | 3,655 | 9% |
| Other Private | 410 | 1% |

New Clients 10,079 26%

| First Service Use Among New Clients | Unique clients | % |
|--|----------------|-----|
| Outpatient | 1361 | 14% |
| FFS | 1229 | 12% |
| EPU | 2813 | 28% |
| PERT | 1329 | 13% |
| Jail | 2855 | 28% |
| Inpatient | 152 | 2% |

Adult and Older Adult Mental Health Services Databook, FY-05-06

AOAMHS Services Provided

| Outpatient Services | Total Visits | Total Clients | Percent Users | Mean Visits Among Users |
|-------------------------------|------------------|---------------|---------------|--------------------------------|
| Case Management | 62,014 | 2,595 | 7% | 23.9 |
| Crisis Residential -Meds Only | 7,392 | 1,617 | 4% | 4.6 |
| Outpatient Programs | 157,494 | 13,693 | 35% | 11.5 |
| Fee for Service | 122,070 | 10,430 | 27% | 11.7 |
| Emergency Services | Total Visits | Total Clients | Percent Users | Mean Visits Among Users |
| EPU | 12,423 | 7,874 | 20% | 1.6 |
| PERT | 4,158 | 3,126 | 8% | 1.3 |
| Forensic Services | Total Visits | Total Clients | Percent Users | Mean Visits Among Users |
| Jail | 46,599 | 9,814 | 25% | 4.7 |
| 24 hour services | Total Days | Total Clients | Percent Users | Mean Days Among Users |
| Crisis Residential | 21,061 | 1,587 | 4% | 13.3 |
| IMD | 62,203 | 377 | 1% | 165.0 |
| Edgemoor | 5,573 | 244 | 1% | 22.8 |
| Inpatient Admissions | Total Admissions | Total Clients | Percent Users | Mean Admissions Among Users |
| County Hospital | 972 | 787 | 2% | 1.2 |
| FFS Hospitals | 3,676 | 2,096 | 5% | 1.8 |

Adult and Older Adult Mental Health Services Databook, FY-05-06

| Client Demographics by Service Type | CM | CR | CR-Meds | EPU | FFS | JAIL | OP | PERT | Hospitals | |
|--|-------|-------|---------|-------|--------|-------|--------|-------|-----------|-------|
| | | | | | | | | | CNTY | FFS |
| Unique Clients Receiving Services | 2,595 | 1,587 | 1,617 | 7,874 | 10,430 | 9,814 | 13,693 | 3,126 | 787 | 2,096 |
| (Unique Clients by) Age | | | | | | | | | | |
| Age <18-24 | 132 | 176 | 187 | 1,373 | 1,296 | 1,793 | 1,198 | 693 | 194 | 307 |
| Age 25-59 | 2,039 | 1,376 | 1,394 | 6,187 | 8,190 | 7,831 | 11,299 | 1,881 | 580 | 1,647 |
| Age 60+ | 424 | 35 | 36 | 314 | 944 | 190 | 1,196 | 552 | 13 | 142 |
| Gender | | | | | | | | | | |
| Females | 1,157 | 717 | 730 | 3,415 | 6,635 | 2,732 | 7,828 | 1,558 | 346 | 1,095 |
| Males | 1,436 | 864 | 881 | 4,448 | 3,629 | 7,073 | 5,841 | 1,562 | 438 | 985 |
| Other / Unknown | 2 | 6 | 6 | 11 | 166 | 9 | 24 | 6 | 3 | 16 |
| Race/ethnicity | | | | | | | | | | |
| White | 1,725 | 1,010 | 1,035 | 4,425 | 4,478 | 5,283 | 6,949 | 1,849 | 410 | 1,011 |
| Hispanic | 377 | 250 | 249 | 1,680 | 2,060 | 1,985 | 3,525 | 523 | 183 | 514 |
| African American | 306 | 248 | 253 | 1,102 | 1,113 | 1,742 | 1,525 | 320 | 97 | 330 |
| Asian | 99 | 33 | 32 | 350 | 777 | 301 | 1,005 | 123 | 57 | 122 |
| Native American | 19 | 15 | 16 | 65 | 62 | 55 | 103 | 8 | 8 | 17 |
| Other / Unknown | 69 | 31 | 32 | 252 | 1940 | 448 | 586 | 303 | 32 | 102 |
| Diagnosis | | | | | | | | | | |
| Schizophrenia and Schizoaffective | 1846 | 519 | 527 | 1495 | 1822 | 1006 | 3413 | 614 | 222 | 1187 |
| Bipolar Disorders | 261 | 255 | 256 | 833 | 409 | 520 | 2056 | 293 | 152 | 246 |
| Major Depression Disorders | 261 | 417 | 419 | 1038 | 713 | 602 | 4700 | 142 | 123 | 399 |
| Other Psychotic Disorders | 88 | 75 | 77 | 829 | 179 | 706 | 650 | 474 | 166 | 116 |
| Other Depression | 52 | 266 | 269 | 1203 | 227 | 1370 | 1208 | 509 | 83 | 102 |
| Other Depression / Anxiety | 86 | 313 | 318 | 1715 | 372 | 2127 | 2577 | 715 | 109 | 128 |
| Substance Use Disorder | 20 | 4 | 6 | 1315 | 56 | 1729 | 92 | 215 | 12 | 11 |
| Cognitive / Personality Disorders | 15 | 0 | 0 | 58 | 17 | 13 | 19 | 121 | 3 | 4 |
| No Diagnosis/Diagnosis Deferred | 18 | 4 | 14 | 591 | 6862 | 3111 | 186 | 552 | 0 | 5 |
| Any Substance Use Disorder | 561 | 742 | 747 | 3031 | 1002 | 3412 | 2784 | 596 | 260 | 631 |
| Insurance Status | | | | | | | | | | |
| Uninsured | 210 | 577 | 582 | 4,970 | 10 | 7,403 | 6,063 | 1,902 | 591 | 40 |
| Medi-Cal | 1,287 | 841 | 859 | 2,106 | 10,273 | 1,878 | 5,765 | 890 | 172 | 1,970 |
| Medi-Medi | 1,091 | 165 | 171 | 518 | 147 | 471 | 1,788 | 285 | 5 | 86 |
| Other Private | 7 | 4 | 5 | 280 | 0 | 62 | 77 | 49 | 19 | 0 |

Adult and Older Adult Mental Health Services Databook, FY-05-06

| Client Demographic Distributions by Service Type | CM | CR | CR-Meds | EPU | FFS | JAIL | OP | PERT | Hospitals | |
|---|-------|-------|---------|-------|--------|-------|--------|-------|-----------|-------|
| | | | | | | | | | CNTY | FFS |
| Unique Clients Receiving Services | 2,595 | 1,587 | 1,617 | 7,874 | 10,430 | 9,814 | 13,693 | 3,126 | 787 | 2,096 |
| (Percent Clients by) Age | | | | | | | | | | |
| Age <18-24 | 5% | 11% | 12% | 17% | 12% | 18% | 9% | 22% | 25% | 15% |
| Age 25-59 | 79% | 87% | 86% | 79% | 79% | 80% | 83% | 60% | 74% | 79% |
| Age 60+ | 16% | 2% | 2% | 4% | 9% | 2% | 9% | 18% | 2% | 7% |
| Gender | | | | | | | | | | |
| Females | 45% | 45% | 45% | 43% | 64% | 28% | 57% | 50% | 44% | 52% |
| Males | 55% | 54% | 54% | 56% | 35% | 72% | 43% | 50% | 56% | 47% |
| Other / Unknown | 0% | 0% | 0% | 0% | 2% | 0% | 0% | 0% | 0% | 1% |
| Race/ethnicity | | | | | | | | | | |
| White | 66% | 64% | 64% | 56% | 43% | 54% | 51% | 59% | 52% | 48% |
| Hispanic | 15% | 16% | 15% | 21% | 20% | 20% | 26% | 17% | 23% | 25% |
| African American | 12% | 16% | 16% | 14% | 11% | 18% | 11% | 10% | 12% | 16% |
| Asian | 4% | 2% | 2% | 4% | 7% | 3% | 7% | 4% | 7% | 6% |
| Native American | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 0% | 1% | 1% |
| Other / Unknown | 3% | 2% | 2% | 3% | 19% | 5% | 4% | 10% | 4% | 5% |
| Diagnosis | | | | | | | | | | |
| Schizophrenia and Schizoaffective | 71% | 33% | 33% | 19% | 17% | 10% | 25% | 20% | 28% | 57% |
| Bipolar Disorders | 10% | 16% | 16% | 11% | 4% | 5% | 15% | 9% | 19% | 12% |
| Major Depression Disorders | 10% | 26% | 26% | 13% | 7% | 6% | 34% | 5% | 16% | 19% |
| Other Psychotic Disorders | 3% | 5% | 5% | 11% | 2% | 7% | 5% | 15% | 21% | 6% |
| Other Depression | 2% | 17% | 17% | 15% | 2% | 14% | 9% | 16% | 11% | 5% |
| Other Depression / Anxiety | 3% | 20% | 20% | 22% | 4% | 22% | 19% | 23% | 14% | 6% |
| Substance Use Disorder | 1% | 0% | 0% | 17% | 1% | 18% | 1% | 7% | 2% | 1% |
| Cognitive / Personality Disorders | 1% | 0% | 0% | 1% | 0% | 0% | 0% | 4% | 0% | 0% |
| No Diagnosis/Diagnosis Deferred | 1% | 0% | 1% | 8% | 66% | 32% | 1% | 18% | 0% | 0% |
| Any Substance Use Disorder | 22% | 47% | 46% | 38% | 10% | 35% | 20% | 19% | 33% | 30% |
| Insurance Status | | | | | | | | | | |
| Uninsured | 8% | 36% | 36% | 63% | 0% | 75% | 44% | 61% | 75% | 2% |
| Medi-Cal | 50% | 53% | 53% | 27% | 98% | 19% | 42% | 28% | 22% | 94% |
| Medi-Medi | 42% | 10% | 11% | 7% | 1% | 5% | 13% | 9% | 1% | 4% |
| Other Private | 0% | 0% | 0% | 4% | 0% | 1% | 1% | 2% | 2% | 0% |

Older Adult Mental Health Services Databook, FY-05-06

Older (60+) Clients Receiving Services Unique clients
3,336

| Age | Unique clients | % |
|------------|----------------|-----|
| Age 60-69 | 2,424 | 73% |
| Age 70-79 | 535 | 16% |
| Age 80+ | 377 | 11% |

| Gender | Unique clients | % |
|-----------------|----------------|-----|
| Females | 2,045 | 61% |
| Males | 1,263 | 38% |
| Other / Unknown | 28 | 1% |

| Race/ethnicity | Unique clients | % |
|-----------------------|----------------|-----|
| White | 1,822 | 55% |
| Hispanic | 214 | 6% |
| African American | 509 | 15% |
| Asian | 293 | 9% |
| Native American | 11 | 0% |
| Other / Unknown | 487 | 15% |

| Preferred Language | Unique clients | % |
|---------------------------|----------------|-----|
| English | 2,338 | 70% |
| Spanish | 303 | 9% |
| Asian Language | 268 | 8% |
| Middle Eastern Lang. | 49 | 1% |
| Other / Unknown | 378 | 11% |

Clients with episodes but without services (not included in the 3,336) 133 4%

| Episode Type | Unique clients | % |
|-------------------------------------|----------------|-----|
| <i>Among Clients w/out services</i> | | |
| Case Management | 82 | 62% |
| Conservatorship | 109 | 82% |

| Diagnosis | Unique clients | % |
|-----------------------------------|----------------|-----|
| Schizophrenia and Schizoaffective | 569 | 17% |
| Bipolar Disorders | 265 | 8% |
| Major Depression Disorders | 672 | 20% |
| Other Psychotic Disorders | 242 | 7% |
| Other Depression / Anxiety | 455 | 14% |
| Substance Use Disorder | 72 | 2% |
| Cognitive / Personality Disorders | 145 | 4% |
| No Diagnosis/Diagnosis Deferred | 918 | 28% |

Any Substance Use Disorder 166 5%

| Insurance Status | Unique clients | % |
|-------------------------|----------------|-----|
| Uninsured | 1,027 | 31% |
| Medi-Cal | 1,587 | 48% |
| Medi-Medi | 686 | 21% |
| Other Private | 36 | 1% |

New Clients 815 24%

| First Service Use Among New Clients | Unique clients | % |
|--|----------------|-----|
| Outpatient | 82 | 10% |
| FFS | 116 | 14% |
| EPU | 145 | 18% |
| PERT | 369 | 45% |
| Jail | 50 | 6% |
| Inpatient | 18 | 2% |

Older Adult Mental Health Services Databook, FY-05-06

AOAMHS Services Provided

| Outpatient Services | Total Visits | Total Clients | Percent Users | Mean Visits Among Users |
|-------------------------------|------------------|---------------|---------------|--------------------------------|
| Case Management | 6,984 | 424 | 13% | 16.5 |
| Crisis Residential -Meds Only | 127 | 36 | 1% | 3.5 |
| Outpatient Programs | 12,337 | 1,196 | 36% | 10.3 |
| Fee for Service | 9,105 | 944 | 28% | 9.6 |
| Emergency Services | Total Visits | Total Clients | Percent Users | Mean Visits Among Users |
| EPU | 393 | 314 | 9% | 1.3 |
| PERT | 815 | 552 | 17% | 1.5 |
| Forensic Services | Total Visits | Total Clients | Percent Users | Mean Visits Among Users |
| Jail | 1,050 | 190 | 6% | 5.5 |
| 24 hour services | Total Days | Total Clients | Percent Users | Mean Days Among Users |
| Crisis Residential | 395 | 35 | 1% | 11.3 |
| IMD | 1,758 | 10 | 0% | 175.8 |
| Edgemoor | 1,891 | 84 | 3% | 22.5 |
| Inpatient Admissions | Total Admissions | Total Clients | Percent Users | Mean Admissions Among Users |
| County Hospital | 16 | 13 | 0% | 1.2 |
| FFS Hospitals | 221 | 142 | 4% | 1.6 |